



**CITY OF GENEVA  
BUILDING DIVISION**  
109 JAMES STREET  
GENEVA, IL 60134  
630/262.0280  
[www.geneva.il.us](http://www.geneva.il.us)

## Residential Remodel Permit Information

Revised: 4/20/20

A building permit is required prior to any construction or alteration. The following are guidelines and comments for obtaining a building permit.

### Application and Drawing Procedures:

- An Application for Permit is to be filled out and submitted to the Building Division..
- For general permit application questions for any property within the City of Geneva, please contact the Building Division at 630 262-0280 or [pdf@geneva.il.us](mailto:pdf@geneva.il.us).
- For any property in which the exterior is to be affected, and is a designated Historic Landmark or located within the Geneva Historic District, approval is required by the Historic Preservation Commission (HPC) prior to obtaining a permit through the Building Division. Please contact Michael Lambert, Preservation Planner, at 630 938-4541 or [mlambert@geneva.il.us](mailto:mlambert@geneva.il.us) for more information.
- Mill Creek residents with building permit questions should contact the Kane County Building Division at 630 232-3485 or [keriazakosELeas@co.kane.il.us](mailto:keriazakosELeas@co.kane.il.us) because Mill Creek properties are not under the jurisdiction of the City of Geneva.
- The contractor's name, address, phone number and, if required, their license numbers are to be provided when submitting the application
- Three (3) sets of architectural stamped / signed drawings showing construction details for the finish, remodel, or alteration are to be submitted with the application.
- A PDF electronic copy of the plans is required if the plan size is larger than 11" x 17". The electronic copy must be submitted on disk or emailed to [pdf@geneva.il.us](mailto:pdf@geneva.il.us).
- Plumbing work may be done by the homeowner only if the home is owner occupied. If anyone else does the plumbing work or if it is a commercial property, the work must be done by an Illinois licensed plumber. The individual or company is to provide a Letter of Intent, on their letterhead, indicating they are conducting the work for this project. If the plumbing company is incorporated, the Letter of Intent must be stamped with their corporate seal. If the plumbing company is an LLC, then it must be notarized. Along with the Letter of Intent, please provide a copy of their Illinois State Plumbing License and Illinois State Contractor License.
- Allow 2 to 3 weeks for the permit application to be review and approved. A staff member will call you to when your permit is ready to be picked up and paid for.

**Fees:** Remodel permit fee is based on project cost.

- \$50.00 plan review fee plus
- \$75.00 for the first \$1,000 of project cost plus
- \$10 per each thousand or portion of the project cost after the first \$1,000
- Plumbing fees as determined by the scope of the work.
- We accept cash, check (make payable to the City of Geneva) MC, Visa, and Discover.

**Re-inspection fee:** During the construction of the project, should any of the required inspections fail, there is a re-inspection charge. The fee is due prior to the next inspection.

- \$75.00 per re-inspection for all types of inspections during construction.

- \$75.00 + \$25.00 for the third inspection if the first two failed.
- \$66.00 per plumbing re-inspection.

**General Comments:**

- **The application packet and stamped City approved plans are to be on the job site at all times.**
- A minimum of 24-hour notice is required when scheduling any inspection.
- The gap between concrete foundation walls and concrete floors are required to be polyurethane caulked, per the radon requirements in finished areas.
- The furnace room shall have a switched light and an interconnected smoke detector.
- Electric outlet receptacles shall be installed a minimum 6-foot from every break (i.e. stairway, fireplace, doors, etc.) then every 12-feet on center per 2005 NEC.
- Fire-stopping is required for the top wall plate between wall and foundation and all chases with approved material.
- HVAC is to be installed per the 2015 International Mechanical Code.
- Provide access for all electric boxes, plumbing cleanouts, and shut offs above ceiling.
- Provide a lighting fixture within 4-feet of electrical panel and mechanical equipment.
- GFI receptacles are required within 3-feet from edge of bathroom sink and required for kitchen countertop areas per the 2005 NEC
- All basement bedrooms and/or finished rooms with a closet must have a window or door to exterior that meets the City of Geneva Local Amendment to the 2015 IRC.
- Every basement shall have a minimum of one (1) approved escape egress window to the exterior. Sill height off basement floor shall be no greater than forty-four (44") inches. Window wells shall meet the 2015 International Residential Code, Section R310.2.
- Enclosed accessible space under stairs shall have a minimum of ½ inch drywall on the enclosed side which includes walls and stringers.
- Lights in closets must be installed in compliance with the National Electrical Code, 2005 Edition, Section 410.2.
- The clearance required for an electric panel with no obstructions is 36-inches in front of the panel.
- Any accessible receptacle in unfinished areas of the basement shall be GFCI protected.

Per the 2015 International Energy Conservation Code, construction documents drawn to scale shall be of sufficient clarity to indicate the location, nature and extent of the work proposed, and show in sufficient detail pertinent data and features of the building, systems and equipment. Details shall include, but are not limited to the following:

- Minimum insulation is R-13 in basements.
- Duct sealing (ducts, air handlers, filter boxes, and building cavities used, as ducts shall be sealed).
- Lighting fixture schedule (a minimum of 75% of all lamps to be high-efficiency) with wattage and control narrative.

**Inspections – Clarification and Details:**

The following is a list of inspections which may be required for your project and the approximate amount of time it will take for the inspection:

✓ <b>Underground Plumbing</b>	½ hour
✓ <b>Rough Plumbing</b>	½ hour
✓ <b>Framing</b>	½ hour - Conducted at the same time as the electric inspection
✓ <b>Electric</b>	½ hour - Conducted at the same time as the framing inspection
✓ <b>Underground/Slab</b>	¼ hour
✓ <b>HVAC</b>	¼ hour
✓ <b>Insulation</b>	¼ hour
✓ <b>Final Plumbing</b>	½ hour
✓ <b>Final</b>	1 hour

The following are general guidelines and details on the types of inspections that may be required for your project. For further clarification please call our office and speak with one of the Building Inspectors.

**Frame and Electric:** – Inspected at the same time. Prior to inspection...

- ✓ If the house has a radon system, caulking is required from the basement slab to the concrete wall.
- ✓ Fire-stopping of all vertical penetrations required.
- ✓ The area below the basement stairs is to be framed and ready for drywall and tape installation.
- ✓ Any room with a closet shall have a proper egress window/door to the exterior of the house.
- ✓ Install 110-volt with battery backup smoke detectors interconnected on every floor, in all bedrooms, and in the furnace rooms with finished basements.
- ✓ Illinois State Law requires that carbon monoxide (CO) and smoke detectors be installed within 15-feet of all sleeping rooms.
- ✓ A light switch is required at the entrance to all rooms.
- ✓ Electric outlet receptacles shall be installed a minimum 6-foot from every break (i.e. stairway, fireplace, doors, etc.) then every 12-foot on center per NEC.
- ✓ Maintain 30-inch side to side and 36-inches frontal clearance from electric panel cover with no obstructions in this area.
- ✓ In closets with switched lights installed, a minimum clearance of 6-inches is required from the fluorescent bulb to the front of the shelf.
- ✓ Access to any electrical boxes is required and the box cannot be buried behind any drywall.

**Plumbing (Underground and Aboveground):** Any residential plumbing that is done will need to be completed by either the homeowner that occupies the building or an Illinois Licensed Plumber. Any deviations from the State of Illinois Plumbing Code must be approved in writing by a State Inspector.

- ✓ Plumbing inspections are performed by **First Inspection Services**. Questions call 630 879-6145.
- ✓ Drains, waste, and vents must be Schedule 40 PVC or cast iron.
- ✓ All plumbing clean out plugs must be easily accessible.
- ✓ For any underground (floor) plumbing, a concrete inspection will be required which includes #4 or larger rebar drilled into existing slabs and a 6-mil vapor barrier over top of the stone. This will help to ensure a radon gas seal and that the new slab will not fail.

**HVAC:**

- ✓ All duct dampers are to be screwed in the open position in areas to be covered. This is to prevent them from vibrating shut at a later date when access is limited.
- ✓ All ductwork to be sealed and insulated as required.
- ✓ Ensure that the furnace or water heater have proper combustion air.
- ✓ An exhaust fan to the exterior will be required if a bathroom is installed. Un-insulated flexible duct can be used with a maximum run of 12 feet in conditioned space.

**Insulation:**

- ✓ The inspection for the insulation is to make sure the 2015 IECC requirements have been met.

**Final:**

- ✓ A final inspection is conducted when the remodeling has been totally completed.
- ✓ All outlets are plug tested.
- ✓ Plumbing fixtures are tested.
- ✓ Smoke detectors/Carbon Monoxide detectors are tested.
- ✓ Egress requirements from all finished portions of the basement are confirmed.
- ✓ Handrails and guards are measured for minimum and maximum requirements.
- ✓ Anything that is unique to the project is checked at this time.

## **Building Codes:**

The following are the Building Codes the City of Geneva has adopted.

- City of Geneva Municipal Code
- 2009 Int'l Building Code w/amendments
- 2015 Int'l Mechanical Code
- 2005 Nat'l Electrical Code
- 2014 State Plumbing Code
- 2015 Int'l Residential Code w/amendments
- 2009 Int'l Fire Code w/amendments
- 2018 Int'l Energy Conservation Code
- 2015 Int'l Swimming Pool and Spa Code (ISPSC) w/amendments
- 2015 Int'l Fuel and Gas Code w/amendments

## **Homeowner – Contractor Responsibilities:**

- It is the responsibility of the homeowner/contractor to schedule the required inspections. The required inspections are indicated on the plan review form, which is attached to your permit and the field copy of drawings. When calling to schedule an inspection, please have the address and the permit number available.
- Inspections shall be canceled a minimum of 24 hours before the scheduled time.



**CITY OF GENEVA**  
**BUILDING DEPARTMENT**  
**109 JAMES STREET**  
**GENEVA, IL 60134**  
**630/262.0280**  
**pdf@geneva.il.us**

*For Office Use Only*

**PERMIT NUMBER** \_\_\_\_\_

**BIN NUMBER** \_\_\_\_\_

**APPLICATION FOR PERMIT**

**PROJECT ADDRESS** \_\_\_\_\_

**APPLICANT** \_\_\_\_\_  Check here if applicant is property owner

Name \_\_\_\_\_  
 Address \_\_\_\_\_  
City State Zip  
 Email \_\_\_\_\_ Phone \_\_\_\_\_

**PROPERTY OWNER** \_\_\_\_\_

Name \_\_\_\_\_  
 Address \_\_\_\_\_  
City State Zip  
 Email \_\_\_\_\_ Phone \_\_\_\_\_

**CONTRACTOR** \_\_\_\_\_

Name \_\_\_\_\_  
 Address \_\_\_\_\_  
City State Zip  
 Email \_\_\_\_\_ Phone \_\_\_\_\_  
 Roofing License \_\_\_\_\_ Plumbing License \_\_\_\_\_

**BUILDING TYPE**

Residential  
 Commercial  
 Other

**TYPE OF WORK - GENERAL**

Change of Tenant  Addition  
 Remodel  Demolition  
 New construction  Other

**TYPE OF WORK - SPECIFIC (Check all that apply)**

Driveway/Parking  Replace Windows  Fence  Electric  
 Sidewalk  Roof/Siding  Patio  Plumbing  
 Basement/Attic  Sign/Awning  Shed  HVAC  
 Kitchen/Bath  Irrigation System  Deck  Other

**DESCRIPTION OF WORK**

*Applications will not be accepted without supporting documentation, attach additional sheets and submit plans/drawings, plat of survey, etc. as needed to illustrate proposed work*

**HISTORIC PRESERVATION**

Is subject property located in the Historic District or a Historic Landmark? Historic Preservation Commission review is required for exterior improvements.  
 Yes  No

**ZONING**

What zoning district is the property located in? \_\_\_\_\_  
 Is the use permitted at this location?  Yes  No  
 Is a variance needed?  Yes  No

**PROJECT COST**

What is the estimated project cost? \_\_\_\_\_

**I HEREBY CERTIFY THAT I AM THE OWNER OF RECORD OR THAT THE PROPOSED WORK IS AUTHORIZED BY THE OWNER OF RECORD; THAT I HAVE BEEN AUTHORIZED BY THE OWNER TO MAKE THIS APPLICATION AND TO SCHEDULE ALL NECESSARY INSPECTIONS AS AN AGENT, AND THAT I AGREE TO CONFORM TO ALL APPLICABLE CODES, LAWS, AND ORDINANCES OF THE CITY OF GENEVA.**

Signature \_\_\_\_\_ Date \_\_\_\_\_

*For Office Use Only*

<b>FEEES</b>	<b>ROUTING</b>
Building Permit Fee _____	Engineering _____
Fire Department Fee _____	Historic Preservation _____
Plumbing Fee _____	Fire _____
Public Works Fee _____	Tree Preservation Review _____
Tree Preservation Fee _____	Electric _____
<b>TOTAL FEES</b> _____	City Engineer _____
	Planning/Zoning _____
	First Inspection Services _____